

SCREEN WASH

Safety Data Sheet

according to Regulation (EC) No. 453/2010 Date of issue: 07/07/2015 Revision date: 05/06/2015

Version: 10.0

:

| SCREEN WASH | M01 |
|---|--|
| SECTION 1: Identification of th | e substance/mixture and of the company/undertaking |
| 1.1. Product identifier | |
| Product form | : Mixture |
| Product name | : SCREEN WASH |
| Product code | : M015 |
| Type of product | : Technical product |
| 1.2. Relevant identified uses of th | e substance or mixture and uses advised against |
| 1.2.1. Relevant identified uses | |
| Main use category | : Professional use |
| Industrial/Professional use spec | : For professional use only |
| Use of the substance/mixture | : Screenwash additive |
| 1.2.2. Uses advised against | |
| No additional information available | |
| | |
| 1.3. Details of the supplier of the section SELDEN RESEARCH LIMITED | |
| SELDEN RESEARCH LIMITED | STADEN LANE BUSINESS PARK, STADEN LANE, BUXTON, DERBYSHIRE, SK17 9RZ, UNITED KINGDOM |
| 4.4. Emergency folge have number | Tel: 01298 26226 Fax: 01298 26540 Email: sales@selden.co.uk |
| 1.4. Emergency telephone number | |
| Emergency number | : Mon to Fri 8.30am to 5.00pm - 01298 26226 |
| SECTION 2: Hazards identificat | tion |
| 2.1. Classification of the substand | ce or mixture |
| Classification according to Regulation Flam. Liq. 3 H226 | (EC) No. 1272/2008 [CLP] |
| Full text of H-phrases: see section 16 | |
| 2.2. Label elements | |
| Labelling according to Regulation (EC |) No. 1272/2008 [CL P] |
| | |
| Hazard pictograms (CLP) | |
| | |
| | |
| | \mathbf{V} |
| | GHS02 |
| Signal word (CLP) | : Warning |
| Hazard statements (CLP) | : H226 - Flammable liquid and vapour |
| Precautionary statements (CLP) | P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking P233 - Keep container tightly closed P240 - Ground/bond container and receiving equipment P241 - Use explosion-proof electrical, lighting, ventilating equipment |
| | P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower P370+P378 - In case of fire: Use foam to extinguish P403+P235 - Store in a well-ventilated place. Keep cool |
| | P242 - Use only non-sparking tools P243 - Take precautionary measures against static discharge |
| | |
| 2.3. Other hazards | |
| | |

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

according to Regulation (EC) No. 453/2010

| Name | Product identifier | % | Classification according to Directive 67/548/EEC | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|--------------------------------|---|-----|---|--|
| methanol | (CAS No) 67-56-1 (EC no) 200-659-6 (EC index no) 603-001-00- X | < 1 | F; R11 T; R23/24/25 T; R39/23/24/25 | Flam. Liq. 2, H225 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Oral), H301 STOT SE 1, H370 |
| N,N-dimethyldecylamine N-oxide | (CAS No) 2605-79-0 (EC no) 220-020-5 | < 1 | Xi; R41 Xi; R38 N; R50 | Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 |

Full text of R- and H-phrases: see section 16

| SECTION 4: First aid measures | |
|--|--|
| 4.1. Description of first aid measures | |
| First-aid measures general | : Get medical advice/attention if you feel unwell. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Do NOT induce vomiting. Rinse mouth. Drink plenty of water. Get medical advice/attention. |
| 4.2. Most important symptoms and effect | s, both acute and delayed |
| Symptoms/injuries after inhalation | : May cause respiratory irritation. |
| Symptoms/injuries after skin contact | : Repeated exposure may cause skin dryness or cracking. |
| Symptoms/injuries after eye contact | : Causes eye irritation. |
| Symptoms/injuries after ingestion | : May cause a light irritation of the linings of the mouth, throat, and gastrointestinal tract. |
| 4.3. Indication of any immediate medical | attention and special treatment needed |
| Treat symptomatically. | |
| SECTION 5: Firefighting measures | |
| 5.1. Extinguishing media | |
| Suitable extinguishing media | : Carbon dioxide. Dry powder. Foam. |
| 5.2. Special hazards arising from the sub | stance or mixture |
| Fire hazard | : Flammable liquid and vapour. |
| 5.3. Advice for firefighters | |
| No additional information available | |
| SECTION 6: Accidental release meas | ures |
| 6.1. Personal precautions, protective equ | ipment and emergency procedures |
| General measures | : Remove ignition sources. |
| 6.1.1. For non-emergency personnel | |
| Emergency procedures | : Evacuate unnecessary personnel. |
| | |
| 6.1.2. For emergency responders Protective equipment | : Use personal protective equipment as required. |
| | . ספר ארופטוומו אוטובטוועב בעעואווובוו מס ובעעוובע. |
| 6.2. Environmental precautions Avoid release to the environment. | |
| 6.3. Methods and material for containmen | at and cleaning up |
| Francisco | |
| For containment | : Collect spillage. |
| Methods for cleaning up | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. |
| 6.4. Reference to other sections | |
| For further information refer to section 8: "Exposu | re controls/personal protection". For further information refer to section 13. |
| SECTION 7: Handling and storage | |
| 7.1. Precautions for safe handling | |
| Additional hazards when processed | : Handle empty containers with care because residual vapours are flammable. |
| Precautions for safe handling | : Keep away from sources of ignition - No smoking. |

according to Regulation (EC) No. 453/2010

| Hygiene measures | : Do not eat, drink or smoke when using this product. | |
|--|--|--|
| 7.2. Conditions for safe storage, including any incompatibilities | | |
| Technical measures | : Does not require any specific or particular technical measures. | |
| Storage conditions | : Store in a well-ventilated place. Keep container tightly closed. | |
| Incompatible products | : Oxidizing agent. Strong acids. Strong bases. | |
| Incompatible materials : Direct sunlight. Heat sources. Sources of ignition. | | |
| Special rules on packaging | : Keep only in original container. | |
| 7.2 Specific and use(a) | | |

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| methanol (67-56-1) | | |
|--------------------|---|-----------------------|
| Denmark | Local name | Methanol |
| Denmark | Grænseværdie (langvarig) (mg/m ³) | 260 mg/m ³ |
| Denmark | Grænseværdie (langvarig) (ppm) | 200 ppm |
| Denmark | Anmærkninger (DK) | EH |
| Ireland | Local name | Methanol |
| Ireland | OEL (8 hours ref) (mg/m ³) | 260 mg/m ³ |
| Ireland | OEL (8 hours ref) (ppm) | 200 ppm |
| Ireland | Notes (IE) | Sk, IOELV |
| Netherlands | Local name | Methanol |
| Netherlands | Grenswaarde TGG 8H (mg/m ³) | 133 mg/m ³ |
| Netherlands | Remark (MAC) | Н |
| United Kingdom | Local name | Methanol |
| United Kingdom | WEL TWA (mg/m ³) | 266 mg/m ³ |
| United Kingdom | WEL TWA (ppm) | 200 ppm |
| United Kingdom | WEL STEL (mg/m ³) | 333 mg/m ³ |
| United Kingdom | WEL STEL (ppm) | 250 ppm |
| United Kingdom | Remark (WEL) | Sk |

8.2. Exposure controls

| Materials for protective clothing | : Not required for normal conditions of use |
|-----------------------------------|--|
| Hand protection | : In case of repeated or prolonged contact wear gloves |
| Eye protection | : Not required for normal conditions of use |
| Skin and body protection | : Not required for normal conditions of use |
| Respiratory protection | : Not required for normal conditions of use |

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical ar | nd chemical properties |
|--|------------------------|
| Physical state | : Liquid |
| Appearance | : Liquid. |
| Colour | : Blue. |
| Odour | : characteristic. |
| Odour threshold | : No data available |
| рН | : 10 |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Melting point | : No data available |
| Freezing point | : No data available |
| Boiling point | : No data available |
| Flash point | : ≈ 37 °C |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapour pressure | : No data available |
| | |

according to Regulation (EC) No. 453/2010

| Balating on a langituration 20 | . No dete suelleble |
|----------------------------------|---------------------|
| Relative vapour density at 20 °C | : No data available |
| Relative density | : 0.97 |
| Solubility | : No data available |
| Log Pow | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosive properties | : No data available |
| Oxidising properties | : No data available |
| Explosive limits | : No data available |

9.2. Other information

No additional information available

| SECTION 10: Stability and reactivity |
|--|
| 10.1. Reactivity |
| Flammable liquid and vapour. |
| 10.2. Chemical stability |
| Stable under normal conditions. |
| 10.3. Possibility of hazardous reactions |
| No additional information available |
| 10.4. Conditions to avoid |
| No flames, no sparks. Eliminate all sources of ignition. |
| 10.5. Incompatible materials |
| metals. |
| 10.6. Hazardous decomposition products |
| No additional information available |

| 11.1. Information on toxicological effects | 5 |
|--|------------------|
| Acute toxicity | : Not classified |
| Skin corrosion/irritation | : Not classified |
| | pH: 10 |
| Serious eye damage/irritation | : Not classified |
| | pH: 10 |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| Specific target organ toxicity (single exposure) | : Not classified |
| Specific target organ toxicity (repeated exposure) | : Not classified |
| Aspiration hazard | : Not classified |

| 12.1. | Toxicity |
|----------|------------------------------------|
| No addit | ional information available |
| | |
| 12.2. | Persistence and degradability |
| No addit | ional information available |
| 12.3. | Bioaccumulative potential |
| No addit | ional information available |
| 12.4. | Mobility in soil |
| No addit | ional information available |
| 12.5. | Results of PBT and vPvB assessment |
| No addit | ional information available |

| SCREEN WASH Safety Data Sheet | MC |
|---|---|
| ccording to Regulation (EC) No. 453/2010 | |
| 12.6. Other adverse effects | |
| No additional information available | |
| SECTION 13: Disposal consideration | tions |
| 13.1. Waste treatment methods | |
| No additional information available | |
| SECTION 14: Transport information | on |
| In accordance with ADR / RID / IMDG / IATA | / ADN |
| 14.1. UN number | |
| UN-No. (ADR) | : 1170 |
| UN-No. (IMDG) | : 1170 |
| UN-No.(IATA) | : 1170 |
| 14.2. UN proper shipping name | |
| Proper Shipping Name (ADR) | : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) |
| Proper Shipping Name (IMDG) | : ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) |
| Proper Shipping Name (IATA) Transport document description (ADR) | : ETHANOL SOLUTION : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III, (D/E) |
| Transport document description (ADR) Transport document description (IMDG) | : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, 111, (D/E) : UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, 111 |
| , | |
| 14.3. Transport hazard class(es) ADR | |
| Transport hazard class(es) (ADR) | : 3 |
| Danger labels (ADR) | : 3 |
| | |
| | |
| | |
| | |
| | |
| | |
| IMDG | |
| Transport hazard class(es) (IMDG) | : 3 : 3 |
| Danger labels (IMDG) | . 3 |
| | : 🔺 |
| | |
| | |
| | 3 |
| | • |
| ΙΑΤΑ | |
| Transport hazard class(es) (IATA) | : 3 |
| Hazard labels (IATA) | : 3 |
| | |
| | |
| | |
| | 3 |
| | \mathbf{v} |
| | |
| 14.4. Packing group | . W |
| Packing group (ADR) | : III : III |
| Packing group (IMDG) Packing group (IATA) | : III : III |
| | |
| 14.5.Environmental hazardsDangerous for the environment | : No |
| Marine pollutant | : No |
| Other information | No supplementary information available |

: No supplementary information available

Other information

according to Regulation (EC) No. 453/2010

14.6. Special precautions for user

- Overland transport

| - Overland transport | | |
|---|---|--|
| Classification code (ADR) | : F1 | |
| Special provisions (ADR) | : 144, 601 | |
| Limited quantities (ADR) | : 5L | |
| Excepted quantities (ADR) | : E1 | |
| Packing instructions (ADR) | : P001, IBC03, LP01, R001 | |
| Mixed packing provisions (ADR) | MP19 | |
| Portable tank and bulk container instructions (ADR) | : T2 | |
| Portable tank and bulk container special provisions (ADR) | : TP1 | |
| Tank code (ADR) | : LGBF | |
| Vehicle for tank carriage | : FL | |
| Transport category (ADR) | : 3 | |
| Special provisions for carriage - Packages (ADR) | : V12 | |
| Special provisions for carriage - Operation (ADR) | : S2 | |
| Hazard identification number (Kemler No.) | : 30 | |
| Orange plates | 30 | |
| | 1170 | |
| Tunnel restriction code (ADR) | : D/E | |
| EAC code | : •2YE | |
| - Transport by sea | | |
| Special provisions (IMDG) | : 144, 223 | |
| Limited quantities (IMDG) | : 5 L | |
| Excepted quantities (IMDG) | : E1 | |
| Packing instructions (IMDG) | : P001, LP01 | |
| IBC packing instructions (IMDG) | : IBC03 | |
| Tank instructions (IMDG) | : T2 | |
| Tank special provisions (IMDG) | : TP1 | |
| EmS-No. (Fire) | : F-E | |
| EmS-No. (Spillage) | : S-D | |
| Stowage category (IMDG) | : A | |
| Clowage category (INDC) | . 7 | |
| - Air transport | | |
| PCA Excepted quantities (IATA) | : E1 | |
| PCA Limited quantities (IATA) | : Y344 | |
| PCA limited quantity max net quantity (IATA) | : 10L | |
| PCA packing instructions (IATA) | : 355 | |
| PCA max net quantity (IATA) | : 60L | |
| CAO packing instructions (IATA) | : 366 | |
| CAO max net quantity (IATA) | : 220L | |
| Special provisions (IATA) | : A3, A58, A180 | |
| ERG code (IATA) | : 3L | |
| | ex II of MARPOL 73/78 and the IBC Code | |
| THATSPORT IN DUR ACCORDING TO AND | iex ii of WARFOL 73/70 and the IDC Code | |

: Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

IBC code

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

according to Regulation (EC) No. 453/2010

15.1.2. National regulations

Germany

VwVwS Annex reference

- 12th Ordinance Implementing the Federal : Is Immission Control Act - 12.BImSchV
- : Water hazard class (WGK) 1, slightly hazardous to water (Classification according to VwVwS, Annex 4)
 - : Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Denmark

Classification remarks

: Emergency management guidelines for the storage of flammable liquids must be followed

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
|---------------------------|---|
| Acute Tox. 3 (Inhalation) | Acute toxicity (inhal.), Category 3 |
| Acute Tox. 3 (Oral) | Acute toxicity (oral), Category 3 |
| Aquatic Acute 1 | Hazardous to the aquatic environment — Acute Hazard, Category 1 |
| Eye Dam. 1 | Serious eye damage/eye irritation, Category 1 |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT SE 1 | Specific target organ toxicity — single exposure, Category 1 |
| H225 | Highly flammable liquid and vapour |
| H226 | Flammable liquid and vapour |
| H301 | Toxic if swallowed |
| H311 | Toxic in contact with skin |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H331 | Toxic if inhaled |
| H370 | Causes damage to organs |
| H400 | Very toxic to aquatic life |

SDS EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product